### STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025



Page 1 of 16 Print Date 01/10/2025

# SAFETY DATA SHEET

#### STAN-TONE VCP-34038 SANDALWOOD

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	::	STAN-TONE VCP-34038 SANDALWOOD Mixture Mixture FO20028955 solid
Relevant identified uses of the sub Product use	ostance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION 1675 Navarre Road SW, Massillon, Ohio USA 44646
		1 330 837 8679
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	COMBUSTIBLE DUSTS
GHS label elements		
Signal word	:	Warning

### STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025



Page 2 of 16 Print Date 01/10/2025

Hazard statements May form combustible dust concentrations in air. **Precautionary statements** Not applicable. : Not applicable. Prevention : Not applicable. Response : Not applicable. Storage : Not applicable. Disposal : Supplemental label elements Keep container tightly closed. : None known. Hazards not otherwise classified : Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20028955

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	>= 10 - <= 25	13463-67-7
Silica, amorphous	>= 1 - <= 3	7631-86-9
Carbon black	>= 1 - <= 3	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.



## STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025 Page 3 of 16 Print Date 01/10/2025

	Get medical attention if irritation occurs.	
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.	
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.	
Most important symptoms/effects, acute and delayed		

Potential	acute	health	effects
1 outina	acun	ncarin	uncus

Eye contact Inhalation Skin contact	:	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: irritation redness
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

#### Extinguishing media



## STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025 Page 4 of 16 Print Date 01/10/2025

Suitable extinguishing media Unsuitable extinguishing media	:	Use dry chemical powder. Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Specific hazards arising from the chemical	:	May form explosible dust-air mixture if dispersed.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire- exposed containers cool.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		

Small spill : Move containers from spill area. Use sp proof equipment. Vacuum or sweep up
---



#### STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025 Page 5 of 16 Print Date 01/10/2025

designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

: Move containers from spill area. Use spark-proof tools and explosionproof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Large spill

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.



#### STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025 Page 6 of 16 Print Date 01/10/2025

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium dioxide	<b>OSHA PEL 1989</b> ( <b>1989-03-01</b> ) TWA 10 mg/m3 Form: Total dust
	OSHA PEL (1993-06-30)
	TWA 15 mg/m3 Form: Total dust
	ACGIH TLV (2022-01-06)
	TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles
	TWA 2.5 mg/m3 Form: respirable fraction, finescale particles
Silica, amorphous	NIOSH REL (1994-06-01)
	TWA 6 mg/m3
Carbon black	OSHA PEL 1989 (1989-03-01)
	TWA 3.5 mg/m3
	OSHA PEL (1993-06-30)
	TWA 3.5 mg/m3
	NIOSH REL (1994-06-01)
	TWA 3.5 mg/m3
	NIOSH REL (1994-06-01)
	TWA 0.1 mgPAH/m <sup>3</sup>
	ACGIH TLV (2010-12-06)
	TWA 3 mg/m3 Form: Inhalable fraction

Appropriate engineering controls	:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025

**Individual protection measures** 



Page 7 of 16 Print Date 01/10/2025

Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

:	solid [Very fine powder.]
:	BROWN
:	Not available.
	•

# **ÄVIENT**

## STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025 Page 8 of 16 Print Date 01/10/2025

Odor threshold pH Melting point Boiling point Flash point	:::::::::::::::::::::::::::::::::::::::	Not available. Not available. Not available. Not available. Not applicable.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not applicable.
(flammable) limits		<b>Upper:</b> Not applicable.
Vapor pressure Vapor density	:	Not available. Not applicable.
Relative density	:	Not available.
Solubility		Not available.
Solubility in water	-	Not available.
Partition coefficient: n-	-	Not applicable.
octanol/water	•	rtot application
Auto-ignition temperature	:	Not applicable.
Decomposition temperature SADT Viscosity	: :	Not available. Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not applicable.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers



## STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025 Page 9 of 16 Print Date 01/10/2025

		during processing. Reactive or incompatible with the following materials:
		oxidizing materials
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
products		products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Titanium oxide (TiO2)				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	Dusts and mists		-	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silica	Eyes - Mild irritant	Rabbit	-	24 hrs	-
Conclusion/Summary					
Skin	: Mixture.N	ot fully tested.			
Eyes	: Mixture.N	ot fully tested.			
Respiratory	: Mixture.N	ot fully tested.			
<u>Sensitization</u>					
Conclusion/Summary					
Skin	: Mixture.N	ot fully tested.			
Respiratory	: Mixture.N	ot fully tested.			
<b>Mutagenicity</b>					
Conclusion/Summary	: Mixture.N	ot fully tested.			
<u>Carcinogenicity</u>					
Conclusion/Summary	: Mixture.N	ot fully tested.			



## STAN-TONE VCP-34038 SANDALWOOD

Version Number	er 1.2
<b>Revision Date</b>	01/01/2025

Page 10 of 16 Print Date 01/10/2025

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP			
Titanium oxide (TiO2)		2B	-			
Silica	_	3	-			
Carbon black	_	2B	-			
		1				
<u>Reproductive toxicity</u>						
Conclusion/Summary	: N	lixture.Not fully	tested.			
<b>Teratogenicity</b>						
Conclusion/Summary	: N	lixture.Not fully	tested.			
Specific target organ toxicity ( Not available.	single exposu	<u>re)</u>				
Specific target organ toxicity ( Not available.	repeated exp	osure)				
Aspiration hazard Not available.						
Information on the likely rout exposure	es of : N	lot available.				
Potential acute health effects						
Eye contact			rne concentrations above statutory or recommended ay cause irritation of the eyes.			
Inhalation	: E	xposure to airbo	arne concentrations above statutory or recommended hay cause irritation of the nose, throat and lungs.			
Skin contact			cant effects or critical hazards.			
Ingestion			cant effects or critical hazards.			
Symptoms related to the physic	ical, chemical	and toxicologic	al characteristics			
Eve contact	: A	dverse symptom	as may include the following: irritation, redness			
Inhalation		• •	as may include the following: respiratory tract			
		irritation, coughing				
Skin contact		o specific data.				
Ingestion	: N	o specific data.				
Delayed and immediate effects	s and also chr	onic effects from	n short and long term exposure			

Short term exposure



## STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025 Page 11 of 16 Print Date 01/10/2025

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:	Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		
<u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

#### **Toxicity**

Result	Species	Exposure
Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
Marine water		
Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
_	dubia	
Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
water		
	Acute LC50 > 1,000 Mg/l Marine water Acute LC50 3 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh	Acute LC50 > 1,000 Mg/l Fish - Fundulus heteroclitus   Marine water Crustaceans - Ceriodaphnia   Acute LC50 3 Mg/l Fresh water Crustaceans - Ceriodaphnia   Acute LC50 6.5 Mg/l Fresh Daphnia - Daphnia pulex



## STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025

#### Page 12 of 16 Print Date 01/10/2025

Carbon black				
		7.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water			
Conclusion/Summary	: Not	available.		
Persistence and degradability				
Conclusion/Summary	: No	ot available.		
Bioaccumulative potential Not available.				
<u>Mobility in soil</u>				
Soil/water partition coefficien (KOC)	t : No	t available.		
Other adverse effects	: No	known significant	effects or critical hazards.	
Section 13. Disposa	l conside	rations		
Disposal methods	pos sho pro aut pro	ssible. Disposal of the buld at all times con- prection and waste d chority requirements poducts via a licensed	te should be avoided or minimize his product, solutions and any by nply with the requirements of envision isposal legislation and any region b. Dispose of surplus and non-rec l waste disposal contractor. Wast to the sewer unless fully compliant	-products rironmental nal local yclable e should not be

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

and sewers.

requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains



## STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025 Page 13 of 16 Print Date 01/10/2025

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

# Section 15. Regulatory information

U.S. Federal regulations	United States - TSCA 12(b) - Chemical ex	port notification: None
	of the components are listed.	
	United States - TSCA 4(a) - Final Test Ru	les: Not listed
	United States - TSCA 4(a) - ITC Priority	ist: Not listed
	United States - TSCA 4(a) - Proposed test	rules: Not listed
	United States - TSCA 4(f) - Priority risk r	eview: Not listed
	United States - TSCA 5(a)2 - Final signific	cant new use rules: Not
	listed	
	United States - TSCA 5(a)2 - Proposed sig	nificant new use rules:
	Not listed	
	United States - TSCA 5(e) - Substances co	nsent order: Not listed
	United States - TSCA 6 - Final risk manag	
	United States - TSCA 6 - Proposed risk m	<i>,</i>
	United States - TSCA 8(a) - Chemical risk	
	United States - TSCA 8(a) - Dioxin/Furan	
	United States - TSCA 8(a) - Chemical Dat	
	determined	
	United States - TSCA 8(a) - Preliminary a	ssessment renort
	(PAIR): Not listed	ssessment report
	United States - TSCA 8(c) - Significant ad	verse reaction (SAR).
	Not listed	verse reaction (Srik).
	United States - TSCA 8(d) - Health and sa	fety studies. Not listed
	United States - EPA Clean water act (CW	•
	pollutants: Listed 2-Ethylhexanoic acid	
	Vinyl chloride monomer	Zinc sait
	vinyi chioride monomer	
	United States - EPA Clean water act (CW	A) section 311 -
	Hazardous substances: Not listed	
	United States - EPA Clean air act (CAA)	section 112 - Accidental
	release prevention - Flammable substance	
	United States - EPA Clean air act (CAA)	
	release prevention - Toxic substances: No	
	release prevention - roale substances. No	i iisteu

## STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025



Page 14 of 16 Print Date 01/10/2025

**United States - Department of commerce - Precursor chemical:** Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I		Not listed
Substances	•	Not listed
Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

COMBUSTIBLE DUSTS :

#### **Composition/information on ingredients**

Name	%	Classification
Titanium oxide (TiO2)	>= 10 - <= 25	CARCINOGENICITY - Category 2
Ethene, chloro-, homopolymer	>= 10 - <= 25	COMBUSTIBLE DUSTS
Silica	>= 1 - <= 3	EYE IRRITATION - Category 2B
Carbon black	>= 1 - <= 3	CARCINOGENICITY - Category 2

Not applicable.

State regulations		
Massachusetts	:	The following components are listed:
		Titanium dioxide
		Iron oxide
		Silica, amorphous
		Carbon black
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
-		Titanium dioxide
		14/16



## STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025 Page 15 of 16 Print Date 01/10/2025

	Ethene, chloro-, homopolymer
	Iron oxide
	Carbon black
:	The following components are listed:
	Titanium dioxide
	Iron oxide
	Silica, amorphous

Carbon black

#### California Prop. 65

Pennsylvania

**WARNING:** This product can expose you to chemicals including Titanium dioxide, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations Inventory list		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
		Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.Not determined.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

# Section 16. Other information



#### STAN-TONE VCP-34038 SANDALWOOD

Version Number 1.2 Revision Date 01/01/2025 Page 16 of 16 Print Date 01/10/2025

#### Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		3
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<b>Histor</b>		
Date of printing	:	01/10/2025
Date of issue/Date of revision	:	01/01/2025
Date of previous issue	:	05/20/2016
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.