

## SAFETY DATA SHEET

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
Revision Date 08/08/2024

Page 1 of 18  
Print Date 08/09/2024

## SAFETY DATA SHEET

**CORE™ MP177 Self Adhesive Plastisol****Section 1. Identification**

**GHS product identifier** : CORE™ MP177 Self Adhesive Plastisol  
**Chemical name** : Mixture  
**CAS number** : Mixture  
**Other means of identification** : FO20050111  
**Product type** : liquid

**Relevant identified uses of the substance or mixture and uses advised against**

**Product use** : Industrial applications. Plastics.

**Supplier's details** : **AVIENT CORPORATION**  
 33587 Walker Road, Avon Lake, OH 44012  
 1 (440) 930-1000 or 1 (844) 4AVIENT

**Emergency telephone number (with hours of operation)** : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

**Section 2. Hazards identification**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Classification of the substance or mixture** : SKIN IRRITATION - Category 2  
 SERIOUS EYE DAMAGE - Category 1  
 CARCINOGENICITY - Category 1A

**GHS label elements**

**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
 Revision Date 08/08/2024

Page 2 of 18  
 Print Date 08/09/2024

**Hazard pictograms** : 

**Signal word** : Danger  
**Hazard statements** : Causes skin irritation.  
 Causes serious eye damage.  
 May cause cancer.

**Precautionary statements**

**Prevention** : Not applicable.  
 : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Wash thoroughly after handling.

**Response** : IF exposed or concerned: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

**Storage** : Store locked up.  
**Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Supplemental label elements** : None known.  
**Hazards not otherwise classified** : None known.  
 Not available.

**Section 3. Composition/information on ingredients**

**Substance/mixture** : Mixture  
**Chemical name** : Mixture  
**Other means of identification** : FO20050111

**CAS number/other identifiers**

| Ingredient name   | %             | CAS number |
|---|---------------|------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | >= 25 - <= 50 | 68515-48-0 |
| Calcium oxide   | >= 10 - < 20  | 1305-78-8  |

**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
 Revision Date 08/08/2024

Page 3 of 18  
 Print Date 08/09/2024

|            |              |            |
|------------|--------------|------------|
| Resorcinol | >= 1 - <= 3  | 108-46-3   |
| Quartz     | >= 0.3 - < 1 | 14808-60-7 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in Section 8.**

**Section 4. First aid measures**

**Description of necessary first aid measures**

- Eye contact** : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
- Inhalation** : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and

## SAFETY DATA SHEET

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
Revision Date 08/08/2024

Page 4 of 18  
Print Date 08/09/2024

get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Most important symptoms/effects, acute and delayed****Potential acute health effects**

- Eye contact** : Causes serious eye damage.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes skin irritation.
- Ingestion** : No known significant effects or critical hazards.

**Over-exposure signs/symptoms**

- Eye contact** : Adverse symptoms may include the following:  
pain  
watering  
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:  
pain or irritation  
redness  
blistering may occur
- Ingestion** : Adverse symptoms may include the following:  
stomach pains

**Indication of immediate medical attention and special treatment needed, if necessary**

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

|  |
|--|
| <b>Section 5. Fire-fighting measures</b> |
|--|

**Extinguishing media**

- Suitable extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

## SAFETY DATA SHEET

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
Revision Date 08/08/2024

Page 5 of 18  
Print Date 08/09/2024

- Unsuitable extinguishing media** : None known.
- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous thermal decomposition products** : May emit Hydrogen Chloride (HCl).  
Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
metal oxide/oxides
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment

**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
 Revision Date 08/08/2024

Page 6 of 18  
 Print Date 08/09/2024

plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

**Section 7. Handling and storage**

**Precautions for safe handling**

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

**Section 8. Exposure controls/personal protection**

**Control parameters**

**Occupational exposure limits**

| Ingredient name | Exposure limits |
|-----------------|-----------------|
|-----------------|-----------------|

**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
 Revision Date 08/08/2024

Page 7 of 18  
 Print Date 08/09/2024

|   |  |
|---|--|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | None.  |
| Calcium oxide   | <b>NIOSH REL (1994-06-01)</b><br>TWA 2 mg/m3<br><b>OSHA PEL 1989 (1989-03-01)</b><br>TWA 5 mg/m3<br><b>OSHA PEL (1993-06-30)</b><br>TWA 5 mg/m3  |
| Resorcinol  | <b>ACGIH TLV (1996-05-18)</b><br>TWA 45 mg/m3 10 ppm<br>STEL 90 mg/m3 20 ppm<br><b>NIOSH REL (1994-06-01)</b><br>TWA 45 mg/m3 10 ppm<br>STEL 90 mg/m3 20 ppm<br><b>OSHA PEL 1989 (1989-03-01)</b><br>TWA 45 mg/m3 10 ppm<br>STEL 90 mg/m3 20 ppm   |
| Quartz  | <b>OSHA PEL 1989 (1989-03-01)</b><br>TWA 0.1 mg/m3 (Calculated as Quartz) Form: Respirable dust<br><b>OSHA PEL Z3 (1997-09-03)</b><br>TWA 250 MPPCF / (%SiO2+5) Form: Respirable<br>TWA 10 MG /M3 / (%SiO2+2) Form: Respirable<br><b>OSHA PEL Z3 (1997-09-03)</b><br>TWA 30 MG /M3 / (%SiO2+2) Form: Total dust<br><b>NIOSH REL (1994-06-01)</b><br>TWA 0.05 mg/m3 Form: Respirable dust<br><b>ACGIH TLV (2005-12-09)</b><br>TWA 0.025 mg/m3 Form: Respirable fraction<br><b>OSHA PEL (2016-06-23)</b><br>TWA 0.05 mg/m3 Form: Respirable dust |

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**SAFETY DATA SHEET****CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
Revision Date 08/08/2024

Page 8 of 18  
Print Date 08/09/2024

**Individual protection measures**

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

**Skin protection**

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Section 9. Physical and chemical properties****Appearance**

- Physical state** : liquid [liquid]  
**Color** : NO PIGMENT



## SAFETY DATA SHEET

### CORE™ MP177 Self Adhesive Plastisol

Version Number 1.1  
Revision Date 08/08/2024

Page 9 of 18  
Print Date 08/09/2024

|  |   |  |
|--|---|--|
| Odor   | : | Not available.   |
| Odor threshold                               | : | Not available.   |
| pH   | : | Not available.   |
| Melting point                                | : | Not available.   |
| Boiling point                                | : | Not available.   |
| Flash point                                  | : | Not available.   |
| Burning time                                 | : | Not available.   |
| Burning rate                                 | : | Not available.   |
| Evaporation rate                             | : | Not available.   |
| Flammability (solid, gas)                    | : | Not available.   |
| Lower and upper explosive (flammable) limits | : | <b>Lower:</b> Not available.<br><b>Upper:</b> Not available.       |
| Vapor pressure                               | : | Not available.   |
| Vapor density                                | : | Not available.   |
| Relative density                             | : | Not available.   |
| Solubility                                   | : | Not available.   |
| Solubility in water                          | : | Not available.   |
| Partition coefficient: n-octanol/water       | : | Not applicable.  |
| Auto-ignition temperature                    | : | Not available.   |
| Decomposition temperature                    | : | Not available.   |
| SADT   | : | Not available.   |
| Viscosity                                    | : | <b>Dynamic:</b> Not available.<br><b>Kinematic:</b> Not available. |

## Section 10. Stability and reactivity

|                                    |   |  |
|------------------------------------|---|--|
| Reactivity                         | : | No specific test data related to reactivity available for this product or its ingredients.           |
| Chemical stability                 | : | Stable under recommended storage and handling conditions (see Section 7).                            |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur.                      |
| Conditions to avoid                | : | Keep away from extreme heat and oxidizing agents.  |
| Incompatible materials             | : | Avoid contact with acetal homopolymers and acetyl homopolymers during processing.                    |
| Hazardous decomposition products   | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|--------|---------|------|----------|
|-------------------------|--------|---------|------|----------|

**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
 Revision Date 08/08/2024

Page 10 of 18  
 Print Date 08/09/2024

|   |             |        |              |   |
|---|-------------|--------|--------------|---|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich |             |        |              |   |
|   | LD50 Oral   | Rat    | 10,000 mg/kg | - |
| 1,3-Benzenediol   |             |        |              |   |
|   | LD50 Oral   | Rat    | 202 mg/kg    | - |
|   | LD50 Dermal | Rabbit | 3,360 mg/kg  | - |

**Conclusion/Summary** : Mixture.Not fully tested.

**Irritation/Corrosion**

| Product/ingredient name   | Result                   | Species | Score | Exposure | Observation |
|---|--------------------------|---------|-------|----------|-------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | Eyes - Mild irritant     | Rabbit  | -     |          | -           |
| 1,3-Benzenediol   | Skin - Moderate irritant | Rabbit  | -     | 24 hrs   | -           |
|   | Skin - Severe irritant   | Rabbit  | -     |          | -           |
|   | Eyes - Severe irritant   | Rabbit  | -     |          | -           |
|   | Eyes - Severe irritant   | Rabbit  | -     |          | -           |

**Conclusion/Summary**

**Skin** : Mixture.Not fully tested.  
**Eyes** : Mixture.Not fully tested.  
**Respiratory** : Mixture.Not fully tested.

**Sensitization**

**Conclusion/Summary**

**Skin** : Mixture.Not fully tested.  
**Respiratory** : Mixture.Not fully tested.

**Mutagenicity**

**Conclusion/Summary**

: Mixture.Not fully tested.

**Carcinogenicity**

**Conclusion/Summary**

: Mixture.Not fully tested.

**Classification**

| Product/ingredient name | OSHA | IARC | NTP                             |
|-------------------------|------|------|---------------------------------|
| 1,3-Benzenediol         | -    | 3    | -                               |
| Quartz (SiO2)           | -    | 1    | Known to be a human carcinogen. |

**Reproductive toxicity**

**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
 Revision Date 08/08/2024

Page 11 of 18  
 Print Date 08/09/2024

**Conclusion/Summary** : Mixture.Not fully tested.

**Teratogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Specific target organ toxicity (single exposure)**

| Name          | Category   | Route of exposure | Target organs                |
|---------------|------------|-------------------|------------------------------|
| Calcium oxide | Category 3 | -                 | Respiratory tract irritation |

**Specific target organ toxicity (repeated exposure)**

| Name          | Category   | Route of exposure | Target organs |
|---------------|------------|-------------------|---------------|
| Quartz (SiO2) | Category 1 | -                 | -             |

**Aspiration hazard**

Not available.

**Information on the likely routes of exposure** : Not available.

**Potential acute health effects**

- Eye contact** : Causes serious eye damage.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes skin irritation.
- Ingestion** : No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

- Eye contact** : Adverse symptoms may include the following: pain, watering, redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following: pain or irritation, redness, blistering may occur
- Ingestion** : Adverse symptoms may include the following: stomach pains

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Short term exposure**

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

**Long term exposure**

**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
 Revision Date 08/08/2024

Page 12 of 18  
 Print Date 08/09/2024

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

**Potential chronic health effects**

**Conclusion/Summary** : Mixture. Not fully tested.  
**General** : No known significant effects or critical hazards.  
**Carcinogenicity** : May cause cancer. Risk of cancer depends on duration and level of exposure.  
**Mutagenicity** : No known significant effects or critical hazards.  
**Teratogenicity** : Not available.  
**Developmental effects** : Not available.  
**Fertility effects** : No known significant effects or critical hazards.

**Numerical measures of toxicity**

**Acute toxicity estimates**

| Product/ingredient name   | Oral          | Dermal         | Inhalation (gases) | Inhalation (vapors) | Inhalation (dusts and mists) |
|---|---------------|----------------|--------------------|---------------------|------------------------------|
| CORE™ MP177 Self Adhesive Plastisol                                   | 15814.6 mg/kg | 263055.4 mg/kg | N/A                | N/A                 | N/A                          |
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | 10000 mg/kg   | N/A            | N/A                | N/A                 | N/A                          |
| 1,3-Benzenediol   | 202 mg/kg     | 3360 mg/kg     | N/A                | N/A                 | N/A                          |

**Other information** : This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Section 12. Ecological information**

**Toxicity**

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|--------|---------|----------|
| Calcium oxide           |        |         |          |

**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
Revision Date 08/08/2024

Page 13 of 18  
Print Date 08/09/2024

|                 |                                   |                                  |      |
|-----------------|-----------------------------------|----------------------------------|------|
|                 | Chronic NOEC 100 Mg/l Fresh water | Fish - Oreochromis niloticus     | 46 d |
| 1,3-Benzenediol |                                   |                                  |      |
|                 | Acute LC50 40 Mg/l Fresh water    | Fish - Pimephales promelas       | 96 h |
|                 | Acute LC50 78 Mg/l Marine water   | Crustaceans - Palaemonetes pugio | 48 h |
|                 | Acute LC50 > 100 Mg/l Fresh water | Daphnia - Daphnia pulicaria      | 48 h |

**Conclusion/Summary** : Not available.

**Persistence and degradability**

**Conclusion/Summary** : Not available.

**Bioaccumulative potential**

| Product/ingredient name   | LogPow | BCF  | Potential |
|---|--------|------|-----------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | 8.8    | 3.00 | low       |
| Calcium oxide   | -      | 2.34 | low       |
| 1,3-Benzenediol   | 0.8    | 3.16 | low       |

**Mobility in soil**

**Soil/water partition coefficient (KOC)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

**Section 13. Disposal considerations**

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling

**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
 Revision Date 08/08/2024

Page 14 of 18  
 Print Date 08/09/2024

emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**United States - RCRA Acute hazardous waste "P" List:** Not listed

**United States - RCRA Toxic hazardous waste "U" List:** Listed

| Ingredient | CAS #    | Status | Reference number |
|------------|----------|--------|------------------|
| Resorcinol | 108-46-3 | Listed |                  |

**Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.

International Air ICAO/IATA : Consult mode specific transport rules

International Water IMO/IMDG : Consult mode specific transport rules

**Section 15. Regulatory information**

**U.S. Federal regulations :**

- United States - TSCA 12(b) - Chemical export notification:** None of the components are listed.
- United States - TSCA 4(a) - Final Test Rules:** Listed **1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich**
- United States - TSCA 4(a) - ITC Priority list:** Not listed
- United States - TSCA 4(a) - Proposed test rules:** Not listed
- United States - TSCA 4(f) - Priority risk review:** Not listed
- United States - TSCA 5(a)2 - Final significant new use rules:** Not listed
- United States - TSCA 5(a)2 - Proposed significant new use rules:** Not listed
- United States - TSCA 5(e) - Substances consent order:** Not listed
- United States - TSCA 6 - Final risk management:** Not listed
- United States - TSCA 6 - Proposed risk management:** Not listed
- United States - TSCA 8(a) - Chemical risk rules:** Not listed
- United States - TSCA 8(a) - Dioxin/Furane precursor:** Not listed
- United States - TSCA 8(a) - Chemical Data Reporting (CDR):** Not determined

**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
Revision Date 08/08/2024

Page 15 of 18  
Print Date 08/09/2024

**United States - TSCA 8(a) - Preliminary assessment report (PAIR):** Not listed  
**United States - TSCA 8(c) - Significant adverse reaction (SAR):** Not listed  
**United States - TSCA 8(d) - Health and safety studies:** Not listed  
**United States - EPA Clean water act (CWA) section 307 - Priority pollutants:** Listed Vinyl chloride monomer

**United States - EPA Clean water act (CWA) section 311 - Hazardous substances:** Listed  
**United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances:** Not listed  
**United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances:** Not listed  
**United States - Department of commerce - Precursor chemical:** Not listed

**Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs):** Listed  
**Clean Air Act Section 602 Class I Substances:** Not listed  
**Clean Air Act Section 602 Class II Substances:** Not listed  
**DEA List I Chemicals (Precursor Chemicals):** Not listed  
**DEA List II Chemicals (Essential Chemicals):** Not listed

**US. EPA CERCLA Hazardous Substances (40 CFR 302)**

not applicable

**SARA 311/312**

**Classification:** SKIN IRRITATION - Category 2  
 SERIOUS EYE DAMAGE - Category 1  
 CARCINOGENICITY - Category 1A

**Composition/information on ingredients**

| Name  | %             | Classification  |
|---|---------------|---|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | >= 25 - <= 50 | EYE IRRITATION - Category 2B  |
| Calcium oxide   | >= 10 - < 20  | SKIN IRRITATION - Category 2<br>SERIOUS EYE DAMAGE - Category 1<br>SPECIFIC TARGET ORGAN TOXICITY (SINGLE |

**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
 Revision Date 08/08/2024

Page 16 of 18  
 Print Date 08/09/2024

|                 |              |   |
|-----------------|--------------|---|
|                 |              | EXPOSURE) - Respiratory tract irritation - Category 3   |
| 1,3-Benzenediol | >= 1 - <= 3  | ACUTE TOXICITY - oral - Category 3<br>SKIN IRRITATION - Category 2<br>EYE IRRITATION - Category 2A            |
| Quartz (SiO2)   | >= 0.3 - < 1 | CARCINOGENICITY - inhalation - Category 1A<br>SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1 |

Not applicable.

**State regulations**

**Massachusetts**

- : The following components are listed:  
 Calcium carbonate  
 Calcium oxide  
 Resorcinol

**New York**

- : The following components are listed:  
 Resorcinol


**New Jersey**

- : The following components are listed:  
 Calcium carbonate  
 Calcium oxide  
 Resorcinol  
 Quartz

**Pennsylvania**

- : The following components are listed:  
 Calcium carbonate  
  
 Calcium oxide  
  
 Resorcinol

**California Prop. 65**

 **WARNING:** This product can expose you to chemicals including 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich, which are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

| Ingredient name   | No significant risk level | Maximum acceptable dosage level |
|---|---------------------------|---------------------------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | Yes.                      | -                               |
| Quartz  | -                         | -                               |



**SAFETY DATA SHEET**

**CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
Revision Date 08/08/2024

Page 17 of 18  
Print Date 08/09/2024

- United States inventory (TSCA 8b)** : All components are active or exempted.
- Canada inventory** : At least one component is not listed in DSL but all such components are listed in NDSL.

International regulations

Inventory list

- Australia** : Not determined.
- Canada** : At least one component is not listed in DSL but all such components are listed in NDSL.
- China** : All components are listed or exempted.
- Eurasian Economic Union** : **Russian Federation inventory:** Not determined.
- Japan** : **Japan inventory (CSCL):** Not determined.  
**Japan inventory (ISHL):** Not determined.
- New Zealand** : All components are listed or exempted.
- Philippines** : All components are listed or exempted.
- Republic of Korea** : All components are listed or exempted.
- Taiwan** : All components are listed or exempted.
- Thailand** : Not determined.
- Turkey** : Not determined.
- United States** : All components are active or exempted.
- Viet Nam** : Not determined.

**Section 16. Other information**

Hazardous Material Information System (U.S.A.)

|                         |   |   |
|-------------------------|---|---|
| <b>Health</b>           | * | 3 |
| <b>Flammability</b>     |   | 0 |
| <b>Physical hazards</b> |   | 0 |

**Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.**

**The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.**

History

- Date of printing** : 08/09/2024
- Date of issue/Date of revision** : 08/08/2024
- Date of previous issue** : 07/05/2023
- Version** : 1.1
- Key to abbreviations** : ATE = Acute Toxicity Estimate

**SAFETY DATA SHEET****CORE™ MP177 Self Adhesive Plastisol**

Version Number 1.1  
Revision Date 08/08/2024

Page 18 of 18  
Print Date 08/09/2024

BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
UN = United Nations  
: Not available.

**References****Notice to reader**

**To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.**